Author Index

Angles-Cano, E., Rouy, D. and Lijnen, H.R.
Plasminogen binding by α_2-antiplasmin and histidine-rich glycoprotein does not inhibit plasminogen activation at the surface of fibrin (1156) 34
Aruoma, O.I., see Simpson, R.J. (1156) 19
Ashihara, H. and Sato, F.
Pyrophosphate : fructose-6-phosphate 1-phosphotransferase and biosynthetic capacity during differentiation of hypocotyls of *Vigna* seedlings (1156) 123
Azuma, E., see Yuo, A. (1156) 197

Ballesteros, A., see Rúa, M.L. (1156) 181
Bermes, Jr., E.W., see Dass, P.D. (1156) 99
Bhuyan, D.K., see Longas, M.O. (1156) 239
Bhuyan, K.C., see Longas, M.O. (1156) 239
Blanco, R.M., Rakels, J.L.L., Guisán, J.M. and Halling, P.J.
Effect of thermodynamic water activity on amino-acid ester synthesis catalyzed by agarose-chymotrypsin in 3-pentanone (1156) 67
Bolann, B.J., Henriksen, H. and Ulvik, R.J.
Decay kinetics of O_2^- studied by direct spectrophotometry. Interaction with catalytic and non-catalytic substances (1156) 27
Bols, M., see Dow, K.E. (1156) 7
Brambl, R., see Vassilev, A.O. (1156) 1
Brand, M.D., see Quant, P.A. (1156) 135
Breitweiser, K.O., see Longas, M.O. (1156) 239
Brillard, M., see Ngoc, L.D. (1156) 219
Brinckerhoff, C.E., see Mitchell, T.I. (1156) 245
Bucci, E., see Urbaitis, B. (1156) 50
Buhler, D.R., see Schlenk, D. (1156) 103

Campbell, J.M., McCrae, F., Reglinski, J., Wilson, R., Smith, W.E. and Sturrock, R.D.
The interaction of sodium nitroprusside with peripheral white blood cells in vitro: a rationale for cyanide release in vivo (1156) 327
Caramazza, I., see Zoppetti, G. (1156) 92
Cederbaum, A.I., see Winters, D.K. (1156) 43
Célier, C., Columelli, S. and Cresteil, T.
Alteration of cytochrome *P*-450 2C11-dependent testosterone metabolism in Gunn rat liver (1156) 15
Columelli, S., see Célier, C. (1156) 15
Cooper, C.E., see Simpson, R.J. (1156) 19
Cresteil, T., see Célier, C. (1156) 15

Daniel, R.M., see Ruttersmith, L.D. (1156) 167
Dass, P.D., Bermes, Jr., E.W. and Holmes, E.W.
Renal and hepatic output of glutathione in plasma and whole blood (1156) 99
David, E.A., see Yang, F.L. (1156) 232
Dean, R.T., see Simpson, J.A. (1156) 190
De Araujo, P.S., see Eleutherio, E.C.A. (1156) 263
De Bernard, B., see Moro, L. (1156) 288
De Jong, J.W., see Janssen, M. (1156) 307
Demant, E.J.F. and Sehested, M.
Recognition of anthracycline binding domains in bovine serum albumin and design of a free fatty acid sensor protein (1156) 151
Díaz-Mauriño, T., see Rúa, M.L. (1156) 181
DiSilvestro, R.A., see Yang, F.L. (1156) 232
Doctor, B.P., see Elson, H.F. (1156) 78
Dow, K.E., Riopelle, R.J., Szarek, W.A., Bols, M., Ison, E.R., Plenkiewicz, J., Lyon, A. and Kisilevsky, R.
Effects of 4-deoxy-L-*threo*-pentose, a novel carbohydrate, on neural cell proteoglycan synthesis and function (1156) 7
Doyle, R.J., see Wu, T.-L. (1156) 173

Eleutherio, E.C.A., De Araujo, P.S. and Panek, A.D.
Role of the trehalose carrier in dehydration resistance of *Saccharomyces cerevisiae* (1156) 263
Elson, H.F., Gentry, M.K. and Doctor, B.P.
Membrane-bound acetylcholinesterase: an early differentiation marker for skeletal myoblasts (1156) 78
Evans, P.J., see Simpson, R.J. (1156) 19

Felton, G.W., see Summers, C.B. (1156) 235
Ferioli, M.E.
Persistent decrease in spermidine/spermine N^1-acetyltransferase activity in 'post-regeneration' rat liver (1156) 291
Fernández, V.M., see Rúa, M.L. (1156) 181
Fisher, D., see Raymond, F.D. (1156) 117
Frank, L., see Whitney, P.L. (1156) 275
Fronticelli, C., see Urbaitis, B. (1156) 50
Fujimoto, S., see Kontani, Y. (1156) 161
Furuichi, Y., see Kuribayashi-Ohta, K. (1156) 204

Gentry, M.K., see Elson, H.F. (1156) 78
Gieseg, S.P., see Simpson, J.A. (1156) 190
Girard, J., see Quant, P.A. (1156) 135
Goda, T., see Takase, S. (1156) 223
Granot, I., Halevy, O., Hurwitz, S. and Pines, M.
Halofuginone: An inhibitor of collagen type I synthesis (1156) 107
Guisán, J.M., see Blanco, R.M. (1156) 67
Gutsch, C.M., see Longas, M.O. (1156) 239
Gutteridge, J.M.C. and Quinlan, G.J.
Antioxidant protection against organic and inorganic oxygen radicals by normal human plasma: the important primary role for iron-binding and iron-oxidising proteins (1156) 144

Halevy, O., see Granot, I. (1156) 107
Halling, P.J., see Blanco, R.M. (1156) 67
Halliwell, B., see Simpson, R.J. (1156) 19
Henriksen, H., see Bolann, B.J. (1156) 27
Hikata, M., see Kuribayashi-Ohta, K. (1156) 204
Hiroi, T., see Kamata, Y. (1156) 213
Hoebeke, J., see Ngoc, L.D. (1156) 219
Holmes, E.W., see Dass, P.D. (1156) 99
Hosokawa, K., see Yamaguchi, H. (1156) 302
Hurwitz, S., see Granot, I. (1156) 107
Huseby, N.-E., Mortensen, B. and Smedsrød, B.
Clearance of circulating γ-glutamyltransferase by the hepatic galactose receptor. Variability in clearance rate due to carbohydrate heterogeneity of the enzyme (1156) 283

Author Index

Angles-Cano, E., Rouy, D. and Lijnen, H.R.
Plasminogen binding by α_2-antiplasmin and histidine-rich glycoprotein does not inhibit plasminogen activation at the surface of fibrin (1156) 34
Aruoma, O.I., see Simpson, R.J. (1156) 19
Ashihara, H. and Sato, F.
Pyrophosphate : fructose-6-phosphate 1-phosphotransferase and biosynthetic capacity during differentiation of hypocotyls of *Vigna* seedlings (1156) 123
Azuma, E., see Yuo, A. (1156) 197

Ballesteros, A., see Rúa, M.L. (1156) 181
Bermes, Jr., E.W., see Dass, P.D. (1156) 99
Bhuyan, D.K., see Longas, M.O. (1156) 239
Bhuyan, K.C., see Longas, M.O. (1156) 239
Blanco, R.M., Rakels, J.L.L., Guisán, J.M. and Halling, P.J.
Effect of thermodynamic water activity on amino-acid ester synthesis catalyzed by agarose-chymotrypsin in 3-pentanone (1156) 67
Bolann, B.J., Henriksen, H. and Ulvik, R.J.
Decay kinetics of O_2^- studied by direct spectrophotometry. Interaction with catalytic and non-catalytic substances (1156) 27
Bols, M., see Dow, K.E. (1156) 7
Brambl, R., see Vassilev, A.O. (1156) 1
Brand, M.D., see Quant, P.A. (1156) 135
Breitweiser, K.O., see Longas, M.O. (1156) 239
Brillard, M., see Ngoc, L.D. (1156) 219
Brinckerhoff, C.E., see Mitchell, T.I. (1156) 245
Bucci, E., see Urbaitis, B. (1156) 50
Buhler, D.R., see Schlenk, D. (1156) 103

Campbell, J.M., McCrae, F., Reglinski, J., Wilson, R., Smith, W.E. and Sturrock, R.D.
The interaction of sodium nitroprusside with peripheral white blood cells in vitro: a rationale for cyanide release in vivo (1156) 327
Caramazza, I., see Zoppetti, G. (1156) 92
Cederbaum, A.I., see Winters, D.K. (1156) 43
Célier, C., Columelli, S. and Cresteil, T.
Alteration of cytochrome *P*-450 2C11-dependent testosterone metabolism in Gunn rat liver (1156) 15
Columelli, S., see Célier, C. (1156) 15
Cooper, C.E., see Simpson, R.J. (1156) 19
Cresteil, T., see Célier, C. (1156) 15

Daniel, R.M., see Ruttersmith, L.D. (1156) 167
Dass, P.D., Bermes, Jr., E.W. and Holmes, E.W.
Renal and hepatic output of glutathione in plasma and whole blood (1156) 99
David, E.A., see Yang, F.L. (1156) 232
Dean, R.T., see Simpson, J.A. (1156) 190
De Araujo, P.S., see Eleutherio, E.C.A. (1156) 263
De Bernard, B., see Moro, L. (1156) 288
De Jong, J.W., see Janssen, M. (1156) 307
Demant, E.J.F. and Sehested, M.
Recognition of anthracycline binding domains in bovine serum albumin and design of a free fatty acid sensor protein (1156) 151
Díaz-Mauriño, T., see Rúa, M.L. (1156) 181
DiSilvestro, R.A., see Yang, F.L. (1156) 232
Doctor, B.P., see Elson, H.F. (1156) 78
Dow, K.E., Riopelle, R.J., Szarek, W.A., Bols, M., Ison, E.R., Plenkiewicz, J., Lyon, A. and Kisilevsky, R.
Effects of 4-deoxy-L-*threo*-pentose, a novel carbohydrate, on neural cell proteoglycan synthesis and function (1156) 7
Doyle, R.J., see Wu, T.-L. (1156) 173

Eleutherio, E.C.A., De Araujo, P.S. and Panek, A.D.
Role of the trehalose carrier in dehydration resistance of *Saccharomyces cerevisiae* (1156) 263
Elson, H.F., Gentry, M.K. and Doctor, B.P.
Membrane-bound acetylcholinesterase: an early differentiation marker for skeletal myoblasts (1156) 78
Evans, P.J., see Simpson, R.J. (1156) 19

Felton, G.W., see Summers, C.B. (1156) 235
Ferioli, M.E.
Persistent decrease in spermidine/spermine N^1-acetyltransferase activity in 'post-regeneration' rat liver (1156) 291
Fernández, V.M., see Rúa, M.L. (1156) 181
Fisher, D., see Raymond, F.D. (1156) 117
Frank, L., see Whitney, P.L. (1156) 275
Fronticelli, C., see Urbaitis, B. (1156) 50
Fujimoto, S., see Kontani, Y. (1156) 161
Furuichi, Y., see Kuribayashi-Ohta, K. (1156) 204

Gentry, M.K., see Elson, H.F. (1156) 78
Gieseg, S.P., see Simpson, J.A. (1156) 190
Girard, J., see Quant, P.A. (1156) 135
Goda, T., see Takase, S. (1156) 223
Granot, I., Halevy, O., Hurwitz, S. and Pines, M.
Halofuginone: An inhibitor of collagen type I synthesis (1156) 107
Guisán, J.M., see Blanco, R.M. (1156) 67
Gutsch, C.M., see Longas, M.O. (1156) 239
Gutteridge, J.M.C. and Quinlan, G.J.
Antioxidant protection against organic and inorganic oxygen radicals by normal human plasma: the important primary role for iron-binding and iron-oxidising proteins (1156) 144

Halevy, O., see Granot, I. (1156) 107
Halling, P.J., see Blanco, R.M. (1156) 67
Halliwell, B., see Simpson, R.J. (1156) 19
Henriksen, H., see Bolann, B.J. (1156) 27
Hikata, M., see Kuribayashi-Ohta, K. (1156) 204
Hiroi, T., see Kamata, Y. (1156) 213
Hoebeke, J., see Ngoc, L.D. (1156) 219
Holmes, E.W., see Dass, P.D. (1156) 99
Hosokawa, K., see Yamaguchi, H. (1156) 302
Hurwitz, S., see Granot, I. (1156) 107
Huseby, N.-E., Mortensen, B. and Smedsrød, B.
Clearance of circulating γ-glutamyltransferase by the hepatic galactose receptor. Variability in clearance rate due to carbohydrate heterogeneity of the enzyme (1156) 283

Ison, E.R., see Dow, K.E. (1156) 7
Iwamura, H., Moore, A.R. and Willoughby, D.A.
Interaction between neutrophil-derived elastase and reactive oxygen species in cartilage degradation (1156) 295

Jacoby, G.H., see Lambeth, D.O. (1156) 85
Janssen, M., Tavenier, M., Koster, J.F. and De Jong, J.W.
In vitro and ex vivo xanthine oxidoreductase activity in rat and guinea-pig hearts using hypoxanthine or xanthine as substrate (1156) 307
Jeffrey, J.J., see Mitchell, T.I. (1156) 245

Kamata, Y., Kimura, Y., Hiroi, T., Sakaguchi, G. and Kozaki, S.
Purification and characterization of the ganglioside-binding fragment of *Clostridium botulinum* type E neurotoxin (1156) 213
Kampfenkel, K.
Limited proteolysis of NADP-malate dehydrogenase from pea chloroplast by aminopeptidase K yields monomers. Evidence of proteolytic degradation of NADP-malate dehydrogenase during purification from pea (1156) 71
Kanbara, K., see Nagai, K. (1156) 321
Kaneko, M., see Kontani, Y. (1156) 161
Kenne, L., see Yu, S. (1156) 313
Kikugawa, M., see Kontani, Y. (1156) 161
Kimura, S., see Tsuboi, I. (1156) 255
Kimura, Y., see Kamata, Y. (1156) 213
Kinouchi, Y., see Yamaguchi, H. (1156) 302
Kisilevsky, R., see Dow, K.E. (1156) 7
Kitagawa, S., see Yuo, A. (1156) 197
Koch, A.L., see Wu, T.-L. (1156) 173
Konijn, A.M., see Simpson, R.J. (1156) 19
Kontani, Y., Kaneko, M., Kikugawa, M., Fujimoto, S. and Tamaki, N.
Identity of *D*-3-aminoisobutyrate-pyruvate aminotransferase with alanine-glyoxylate aminotransferase 2 (1156) 161
Koster, J.F., see Janssen, M. (1156) 307
Kozaki, S., see Kamata, Y. (1156) 213
Kumazawa, T., Seno, H., Urakami, T., Matsumoto, T. and Suzuki, O.
Trace levels of pyrroloquinoline quinone in human and rat samples detected by gas chromatography/mass spectrometry (1156) 62
Kuribayashi-Ohta, K., Tamatsukuri, S., Hikata, M., Miyamoto, C. and Furuichi, Y.
Application of oligo$(dT)_{30}$-latex for rapid purification of poly$(A)^+$ mRNA and for hybrid subtraction with the in situ reverse transcribed cDNA (1156) 204

Lambeth, D.O., Muhonen, W.W., Jacoby, G.H. and Ray, P.D.
Factors affecting the manganese and iron activation of the phospho*enol*pyruvate carboxykinase isozymes from rabbit (1156) 85
Lee, S.-S., see Yu, C. (1156) 334
Lijnen, H.R., see Angles-Cano, E. (1156) 34
Liras, A., see Rotllan, P. (1156) 128
Llorente, P., see Rotllan, P. (1156) 128
Longas, M.O., Bhuyan, D.K., Bhuyan, K.C., Gutsch, C.M. and Breitweiser, K.O.
Dietary vitamin E reverses the effects of ultraviolet light irradiation on rat skin glycosaminoglycans (1156) 239
Lu, Y.S., see Urbaitis, B. (1156) 50
Lyon, A., see Dow, K.E. (1156) 7

Matsukawa, M., see Tsuboi, I. (1156) 255
Matsumoto, T., see Kumazawa, T. (1156) 62
McCrae, F., see Campbell, J.M. (1156) 327
McGaw, B.A., see Rucklidge, G.J. (1156) 57
Michalsky, M., see Moro, L. (1156) 288
Milne, E., see Rucklidge, G.J. (1156) 57
Milne, G., see Rucklidge, G.J. (1156) 57
Mitchell, T.I., Jeffrey, J.J., Palmiter, R.D. and Brinckerhoff, C.E.
The acute phase reactant serum amyloid A (SAA3) is a novel substrate for degradation by the metalloproteinases collagenase and stromelysin (1156) 245
Miyamoto, C., see Kuribayashi-Ohta, K. (1156) 204
Miyamoto, H., see Yamaguchi, H. (1156) 302
Moore, A.R., see Iwamura, H. (1156) 295
Moro, L., Noris-Suarez, K., Michalsky, M., Romanello, M. and De Bernard, B.
The glycosides of hydroxylysine are final products of collagen degradation in humans (1156) 288
Mortensen, B., see Huseby, N.-E. (1156) 283
Moss, D.W., see Raymond, F.D. (1156) 117
Muhonen, W.W., see Lambeth, D.O. (1156) 85
Murakami, Y., see Zoppetti, G. (1156) 92

Nagai, K., Kanbara, K., Nakashima, H., Yamamoto, N., Torrence, P.F., Suhadolnik, R.J. and Takaku, H.
Characterization and biological activity of 8-substituted analogues of 2′,5′-oligoadenylates (1156) 321
Nakashima, H., see Nagai, K. (1156) 321
Natori, Y., see Yuo, A. (1156) 197
Ngoc, L.D., Brillard, M. and Hoebeke, J.
The α- and β-subunits of the jacalins are cleavage products from a 17-kDa precursor (1156) 219
Noris-Suarez, K., see Moro, L. (1156) 288

Ohno, T., see Zoppetti, G. (1156) 92
Omkumar, R.V. and Ramasarma, T.
Irreversible inactivation of 3-hydroxy-3-methylglutaryl-CoA reductase by H_2O_2 (1156) 267
Otero, C., see Rúa, M.L. (1156) 181

Palmiter, R.D., see Mitchell, T.I. (1156) 245
Panek, A.D., see Eleutherio, E.C.A. (1156) 263
Pedersén, M., see Yu, S. (1156) 313
Perin, A. and Sessa, A.
Polyamine acetylation in rat liver following long-term ethanol ingestion (1156) 113
Pines, M., see Granot, I. (1156) 107
Plenkiewicz, J., see Dow, K.E. (1156) 7
Plesofsky-Vig, N., see Vassilev, A.O. (1156) 1

Quant, P.A., Robin, D., Robin, P., Girard, J. and Brand, M.D.
A top-down control analysis in isolated rat liver mitochondria: can the 3-hydroxy-3-methylglutaryl-CoA pathway be rate-controlling for ketogenesis? (1156) 135
Quinlan, G.J., see Gutteridge, J.M.C. (1156) 144

Raja, K.B., see Simpson, R.J. (1156) 19
Rakels, J.L.L., see Blanco, R.M. (1156) 67
Ramasarma, T., see Omkumar, R.V. (1156) 267
Ray, P.D., see Lambeth, D.O. (1156) 85
Raymond, F.D., Moss, D.W. and Fisher, D.
Phase partitioning detects differences between phospholipase-released forms of alkaline phosphatase – a GPI-linked protein (1156) 117
Reglinski, J., see Campbell, J.M. (1156) 327
Riopelle, R.J., see Dow, K.E. (1156) 7
Robin, D., see Quant, P.A. (1156) 135
Robin, P., see Quant, P.A. (1156) 135
Robins, S.P., see Rucklidge, G.J. (1156) 57
Romanello, M., see Moro, L. (1156) 288
Rotllan, P., Liras, A. and Llorente, P.
Salvage and interconversion of purines in developing *Artemia* (1156) 128

Rouy, D., see Angles-Cano, E. (1156) 34
Rúa, M.L., Díaz-Mauriño, T., Fernández, V.M., Otero, C. and Ballesteros, A.
Purification and characterization of two distinct lipases from *Candida cylindracea* (1156) 181
Rucklidge, G.J., Milne, G., McGaw, B.A., Milne, E. and Robins, S.P.
Turnover rates of different collagen types measured by isotope ratio mass spectrometry (1156) 57
Ruttersmith, L.D. and Daniel, R.M.
Thermostable β-glucosidase and β-xylosidase from *Thermotoga* sp. strain FjSS3-B.1 (1156) 167

Saito, M., see Yuo, A. (1156) 197
Sakaguchi, G., see Kamata, Y. (1156) 213
Sato, F., see Ashihara, H. (1156) 123
Sato, N., see Tsuboi, I. (1156) 255
Schlenk, D. and Buhler, D.R.
Immunological characterization of flavin-containing monooxygenases from the liver of rainbow trout (*Oncorhynchus mykiss*): sexual- and age-dependent differences and the effect of trimethylamine on enzyme regulation (1156) 103
Sehested, M., see Demant, E.J.F. (1156) 151
Seno, H., see Kumazawa, T. (1156) 62
Sessa, A., see Perin, A. (1156) 113
Shinohara, H., see Takase, S. (1156) 223
Simpson, J.A., Gieseg, S.P. and Dean, R.T.
Free radical and enzymatic mechanisms for the generation of protein bound reducing moieties (1156) 190
Simpson, R.J., Cooper, C.E., Raja, K.B., Halliwell, B., Evans, P.J., Aruoma, O.I., Singh, S. and Konijn, A.M.
Non-transferrin-bound iron species in the serum of hypotransferrinaemic mice (1156) 19
Singh, S., see Simpson, R.J. (1156) 19
Smedsrød, B., see Huseby, N.-E. (1156) 283
Smith, W.E., see Campbell, J.M. (1156) 327
Soda, A., see Yamaguchi, H. (1156) 302
Sturrock, R.D., see Campbell, J.M. (1156) 327
Suhadolnik, R.J., see Nagai, K. (1156) 321
Summers, C.B. and Felton, G.W.
Antioxidant role of dehydroascorbic acid reductase in insects (1156) 235
Suzuki, O., see Kumazawa, T. (1156) 62
Szarek, W.A., see Dow, K.E. (1156) 7

Takaku, F., see Yuo, A. (1156) 197
Takaku, H., see Nagai, K. (1156) 321
Takase, S., Goda, T. and Shinohara, H.
Adaptive changes of intestinal cellular retinol-binding protein, type II following jejunum-bypass operation in the rat (1156) 223
Tamaki, N., see Kontani, Y. (1156) 161
Tamatsukuri, S., see Kuribayashi-Ohta, K. (1156) 204
Tavenier, M., see Janssen, M. (1156) 307
Togawa, A., see Yuo, A. (1156) 197
Torrence, P.F., see Nagai, K. (1156) 321
Tseng, Y.-Y., see Yu, C. (1156) 334
Tsuboi, I., Matsukawa, M., Sato, N. and Kimura, S.
Isolation and characterization of a sialic acid-specific binding lectin from the hemolymph of Asian horseshoe crab, *Tachypleus tridentatus* (1156) 255

Ulvik, R.J., see Bolann, B.J. (1156) 27
Urakami, T., see Kumazawa, T. (1156) 62
Urbaitis, B., Lu, Y.S., Fronticelli, C. and Bucci, E.
Renal excretion of pseudo-cross-linked human, porcine and bovine hemoglobins (1156) 50

Vassilev, A.O., Plesofsky-Vig, N. and Brambl, R.
Isolation, partial amino acid sequence, and cellular distribution of heat-shock protein hsp98 from *Neurospora crassa* (1156) 1

Whitney, P.L. and Frank, L.
Does lung NAD(P)H:quinone reductase (DT-diaphorase) play an antioxidant enzyme role in protection from hyperoxia? (1156) 275
Willoughby, D.A., see Iwamura, H. (1156) 295
Wilson, R., see Campbell, J.M. (1156) 327
Winters, D.K. and Cederbaum, A.I.
Expression of a catalytically active human cytochrome *P*-4502E1 in *Escherichia coli* (1156) 43
Wu, T.-L., Koch, A.L. and Doyle, R.J.
Anomalies in cell wall turnover associated with the growth temperature of *Bacillus subtilis* (1156) 173

Yamaguchi, H., Hosokawa, K., Soda, A., Miyamoto, H. and Kinouchi, Y.
Effects of seven months' exposure to a static 0.2 T magnetic field on growth and glycolytic activity of human gingival fibroblasts (1156) 302
Yamamoto, N., see Nagai, K. (1156) 321
Yang, F.L., David, E.A. and DiSilvestro, R.A.
Neonatal rat liver contains low concentrations of Cu-Zn superoxide dismutase protein and mRNA (1156) 232
Yu, C., Tseng, Y.-Y. and Lee, S.-S.
Calculating three-dimensional molecular structure of paliurine B from atom-atom distance and restrained energy minimization (1156) 334
Yu, S., Kenne, L. and Pedersén, M.
α-1,4-Glucan lyase, a new class of starch/glycogen degrading enzyme. I. Efficient purification and characterization from red seaweeds (1156) 313
Yuo, A., Kitagawa, S., Azuma, E., Natori, Y., Togawa, A., Saito, M. and Takaku, F.
Tyrosine phosphorylation and intracellular alkalinization are early events in human neutrophils stimulated by tumor necrosis factor, granulocyte-macrophage colony-stimulating factor and granulocyte colony-stimulating factor (1156) 197

Zoppetti, G., Caramazza, I., Murakami, Y. and Ohno, T.
Structural requirements for duodenal permeability of heparin-diamine complexes (1156) 92